


XENAR 6.1/210


MODULATION als Funktion der relativen Bildgröße

Wellenlänge λ [nm] :	546	644	588	480	436	405
Spektrale Gewichtung [%] :	24.6	18.6	22.1	12.4	15.2	7.1
Ortsfrequenz R [1/mm] :	5	10	20			
Bild- \emptyset k = 6.1 [mm X mm] :	225.1					
Bild- \emptyset k = 22.0 [mm] :	249.0					


radial —
 tangential - -



$f' = 215.7$ k = 6.1 $1/b' = \infty$ $00^* = \infty$ $f' = 215.7$ k = 11.0 $1/b' = \infty$ $00^* = \infty$ $f' = 215.7$ k = 22.0 $1/b' = \infty$ $00^* = \infty$



$f' = 215.7$ k = 6.1 $1/b' = -10.00$ $00^* = 2611$. $f' = 215.7$ k = 11.0 $1/b' = -10.00$ $00^* = 2611$. $f' = 215.7$ k = 22.0 $1/b' = -10.00$ $00^* = 2611$.



$f' = 215.7$ k = 6.1 $1/b' = -5.00$ $00^* = 1554$. $f' = 215.7$ k = 11.0 $1/b' = -5.00$ $00^* = 1554$. $f' = 215.7$ k = 22.0 $1/b' = -5.00$ $00^* = 1554$.

Fokussierung MTF_{max} bei k = 6.1 , R = 20 1/mm. $u'/u'_{max} = 0$

3665 150600 Gedruckt in der Bundesrepublik Deutschland