



## DIGITAR 2.8/28


$f'$	= 29.3 mm	$\beta_p$	= 2,373
$s_F$	= 13.3 mm	$s_{EP}$	= 25.6 mm
$s_{F'}$	= 50.4 mm	$s_{A'P}$	= -19.1 mm
$HH'$	= 58.0 mm	$\Sigma d$	= 79.5 mm



### RELATIVE ILLUMINATION

The relative illumination is shown for the given focal distances or magnifications.


	$f / 2.8$	$f / 5.6$	$f / 11.0$
—	$\beta' = -0.0060$	$u'_{max} = 29.4$	$00' = 5000.$
- -	$\beta' = -0.0155$	$u'_{max} = 29.4$	$00' = 2000.$
- · - ·	$\beta' = -0.0332$	$u'_{max} = 29.3$	$00' = 1000.$



### DISTORTION

Distortion is shown for the given focal distances or magnifications. Positive values indicate pincushion distortion and negative values barrel distortion.

—	$\beta' = -0.0060$	$u'_{max} = 29.3$	$00' = 5000.$
- -	$\beta' = -0.0155$	$u'_{max} = 29.3$	$00' = 2000.$
- · - ·	$\beta' = -0.0332$	$u'_{max} = 29.3$	$00' = 1000.$



### TRANSMITTANCE

Relative spectral transmittance is shown with reference to wavelength.